

TRIANGLE FASTENER CORPORATION

NEED-IT-NOW PRODUCT GUIDE

BROOM, BRUSHES, AND MORE

BROOMS | PAINT ROLLERS | BRUSHES | SHOVELS | MISC.



Trash Bags

There are many '3-mil' trash bags in the field! 3-mil tells how thick the bags are - NOT how strong. We have tested many, and here is one that can be thrown off any roof loaded with trash.

3-mil 42 gallon trash bags

#TRASH BAG 42-20 PL.....20 bags/ct



39" Warning Line Diverter

39" trimline channelizer designed for service in a wide variety of applications. High-impact, low density polyethylene with reinforced easy-grip loop handle, 30# rectangular base.

#SAFETY-DIV-CONE



- Break-Away Design
- Stackable with or without base
- Has 2 mounting holes for warning lights/signs
- 46-1/4" overall height
- 30" x 14" base

Meets OSHA requirements

- Passes 16# horizontal pull test
- 39" high tie-off

Pennet Flags

Pennet Flags are required by OSHA for perimeter marking of every above ground construction area, flat roof jobs and open upper-level construction. Our pennant flags are attached to 100 ft. line that exceeds the 500 lb break strength that OSHA now requires. (10 strands/carton)

#PENNANT OSHA Y.....yellow pennant flags

#PENNANT OSHA R.....red pennant flags

#PENNANT OSHA RY.....red & yellow pennant flags



- ALL ARE UVI PROTECTED
- 100' OVERALL LENGTH
- EXCEEDS OSHA STANDARDS
- 48' PENNANT PER LINE

White China Bristle Chip Brushes

White China Bristle (Plain Wood Sanded Handle). Imported from Indonesia for best quality. These 'one time use' brushes stay in one piece

Check your quality against others!



	Width	Thickness	Trim
#PB1.....	1.....	5/16.....	1-1/2
#PB2.....	2.....	5/16.....	1-1/2
#PB3.....	3.....	3/8.....	1-1/2
#PB3HD DblThick.....	3.....	5/8.....	1-7/8
#PB4.....	4.....	3/8.....	1-3/4
#PB4HD Dbl Thick.....	4.....	11/16.....	2

Manila Rope

Natural Fiber - Inexpensive. For general purpose use. Spliceable - holds knots well. Resists heat and sunlight.

#ROPE MA 1/4 x 1200.....1/4" x 1,200"



Many other sizes & styles available!

Pallet Covers

Cover Size Covers per roll

Tan Covers:

#COVER 4X8 - TAN.....4' x 8'.....25 covers

#COVER 4X4 - TAN.....4' x 4'.....45 covers



Clear cover for visibility

#COVER 4X8-Clear.....4' x 8'.....25 covers

#COVER 4X4-Clear.....4' x 4'.....25 covers



Poly Sheeting

Construction sheeting made from polyethylene which provides for the optimum in economy and performance. Good weatherability, chemical inertness and toughness.

#POLY 20X100-6C.....20' X 100' clear, 6 mil





Type 1 Eagle Red Metal Gasoline Cans & Funnel

- #GAS-1 Gal.....1 Gallon
 - #GAS-2 Gal.....2 Gallon
 - #GAS-5 Gal.....5 Gallon
- ALL FUEL CANS INCLUDE 9" YELLOW FUNNEL LISTED BELOW, #GAS-FUNNEL



9" long funnel for type 1, Eagle containers listed above.
#GAS-FUNNEL



Roller Covers

These covers are the best that commercial roofers can use for applying adhesives. Our nap is fused onto a 1-1/2" diameter 2-ply polypropylene core.

Especially made for the commercial roofer applying adhesive coatings. We tested the many imports and they could not do the job. Performance is more important than price.

Core Materials Cover Width Nap Length

- #RC18-3/8-HD.....Poly Core.....18".....3/8"
- #RC9-3/8-HD.....Poly Core.....9".....3/8"
- #RC9-1/2-HD.....Poly Core.....9".....1/2"
- #RC9-3/4-HD.....Poly Core.....9".....3/4"
- #RC4-3/8-HD.....Poly Core.....4".....3/8"
- #RC4-3/4-HD.....Poly Core.....4".....3/4"
- #RC3-3/8-HD.....Poly Core.....3".....3/8"
- #RC9-1/2-PHEN.....Phenolic Core.....9".....1/2"



Poly Core Covers



Phenolic Core Cover

Perforated Core Roller Covers

These perforated roller covers are for use with power equipment for applying liquids. The core is uniformly perforate, allowing the liquid to disperse through the nap. 3/8" nap (Call for Availability)



#RC18-3/8PERF ... 18" perforated core cover, 3/8" nap

Roller Frames

18" lightweight but durable roller frame, no cage, comes with end caps. Use any 15/16" or 1-1/8" diameter handle. Handle opening is adjustable.

#RF18LWFor use with 18" regular covers

9" heavy duty frame, 5/16" stem for maximum strength. 5-wire cage

#RF9HD

Same as #RF9HD but with JUMBO 2-1/4" diameter cage for jumbo roller covers. 6-wire cage

#RF9HD-J

9" regular duty cage frame, 1/4" stem

#RF9

7" heavy duty frame, 5/16" stem for maximum strength, 5-wire cage

#RF7HD

4" regular duty cage frame, 1/4" stem

#RF4

3" regular duty cage frame, 1.4" stem

#RF3


All frames 3" through 9" have reinforced threaded handle holes.



#RF9HD



#RF9HD-J



#RF9




#RF4

Premium Extra - Heavy Duty Roller Frames

Extra heavy duty roller frame. 5/16" thick extra long shank, 5-wire cage. Heavy duty nylon end caps. Reinforced threaded handle hole in the grip.

#RF-9-PREMIUM.....9"

#RF-4-PREMIUM.....4"



9" Non-Slip Heavy Duty Roller Frame

9" NON-SLIP heavy duty roller frame. Has special end cap that prevents 'walking' by the cover. 5/16" shank, 5-wire cage, rubberized handle for better grip. Reinforced threaded handle hole in the grip.

#RF9HD-NO-SLIP



Smooth Edge Non-Marking Squeegees

Steel-back floor squeegee, stiff, gray, non-marking 1/4" x 2" rubber blade.

Steel handle socket

#FS318G.....18"



Steel Handle Socket




Sponge Blade Non-Marking Squeegee

Double sponge gray non-marking floor squeegee mounted on our steel channel with steel handle socket. Gets floors drier but wears out quicker than solid rubber!

#FS324-SPONGE.....24"



Steel Handle Socket



Squeegees

Steel-back floor squeegee with 1/4" x 2" black rubber blade. Steel handle socket that won't crack or let go of the handle. No more split handle ends from having to use a nail to hold the handle into the socket.

- #FS318.....18" straight channel
- #FS324.....24" straight channel
- #FS336.....36" straight channel
- #FS324C.....24" curved channel



Steel Handle Socket



Serrated Edge Non-Marking Squeegees

Steel-back floor squeegee. Spreads material uniformly. Stiff, gray, non-marking 1/4" x 2" serrated rubber blade. Steel handle socket

Squeegee Width Serration Width

- #FS18SE-3/16.....18".....3/16"
- #FS18SE-1/4.....18".....1/4"
- #FS24SE-3/16.....24".....3/16"
- #FS24SE-1/4.....24".....1/4"



Steel Handle Socket

Danger / Caution Tape

DANGER DANGER DANGER

Red 'DANGER' tape, black letters

#TAPE DANGER1000.....3" x 1,000"

CAUTION CAUTION CAUTION

Yellow 'CAUTION' tape, black letters

#TAPE DANGER1000.....2 mil, 3" x 1,000"



USA MADE

Make-A-Clamp Kits

Make any size stainless steel clamp you need! Stainless steel banding with adjustable fasteners & band splices



USA MADE

Band Length Fasteners Band Splices

- #CLAMP KIT 50.....50'.....10.....10
- #CLAMP KIT 100.....100'.....25.....10
- #CLAMP KIT 50-50.....50'.....50.....10

FOR EXTRA FASTENERS:

#CLAMP KIT FSTN.....10 Make-A-Clip fasteners (includes band splices)

Individual Band Clamps

General purpose industrial clamps. Exceeds all SAE requirements. 1/2" band. Stainless hex screw.

	Min Diameter	Max Diameter
#CLAMP-BAND-1.....	9/16"	1-1/16"
#CLAMP-BAND-2.....	1-1/16"	2"
#CLAMP-BAND-3.....	2-1/16"	3"
#CLAMP-BAND-4.....	3-1/16"	4"



Handle Brace

Steel handle brace. A must for sweeps 24" or larger. Handles can't turn, go sideways or come out. Saves many dollars on broken handle threads & throws away floor sweeps yet costs very little! Oversize wood screws included.



Street Brooms

OUR VERY BEST STREET BROOM - FOR EVERY JOB!

Stiff white synthetic street broom. No shedding or matting. Outlasts and outperforms every other street broom on the market.

- #ST7166.....16" street broom
- #ST9245.....24" street broom



Upright Brooms

Warehouse, corn blend, wire band, 4 sew #W34



Warehouse, heavy rattan fill, wire band, 40 lbs/dozen #WR40



OTHER 16" STREET BROOMS


African bass, 6/14" trim #ST2165



Palmyra Stalk, 6-1/4" trim #ST4165



Synthetic mix, 5-1/4" trim #ST9165



Orange Poly 5-1/4" fill #ST16



Fine Floor Sweeps

Fine synthetic center, horsehair and synthetic border, 3" trim. No matting or laying-over of bristles. Our best fine sweep for smooth floors.

#FB218P.....18"



Gray flagged (split tips) synthetic fill, 3" trim. Bristles won't lay over. Not recommended around wet areas or sweeping compound.

- #FB918.....18"
- #FB924.....24"
- #FB930.....30"
- #FB936.....36"



All-Purpose Floor Sweeps

Medium stiff synthetic center, flagged synthetic border, 3" trim.

- #FB2918.....18"
- #FB2924.....24"
- #FB2930.....30"
- #FB2936.....36"



Synthetic fill, 3" trim. Fine-medium sweep. Resists laying over or matting. Most conditions do not affect it.

- #FB118P.....18"
- #FP124P.....24"
- #FP136.....36"



Coarse Floor Sweeps

Stiff synthetic fill, 3" trim for all coarse or outside sweeping. No matting or laying-over of bristles. Use where dust is not a concern. Our best coarse sweep.

- #FB1618S.....18"
- #FB1624S.....24"
- #FB1636S.....36"



Roofers Felt Broom

Oil-treated palmyra fill, 4" trim. Wood block has threaded & tapered handle holes. Our heavy duty steel handle brace is included to insure no handle problems! No more threaded handles cracking or breaking off.

#FBR1230.....30"



#1 Grade Lacquered Hardwood Handles

- #H60MT.....15/16" x 60" metal thread
- #HD60MT.....1-1/8" x 60" metal thread
- #HD60T.....1-1/8" x 60" tapered end
- #HD60WT.....1-1/8" x 60" wood thread



#H60MT



#HD60T



#HD60WT

Rags

Reclaimed White Flannel Rags

Very best for absorption. For every kind of clean-up. Roofers also use them for seam scrubbing.

#RAG-FLANNEL-WH.....10 lb ctn.



Reclaimed White Sweatshirt Rags

Has seams but no decals, zippers or other attachments. Roofers use them when scrubbing seams.

#RAG-WHTSWEAT-10.....10 lb ctn



Many other styles available!

Spades

Serrated Tear-off spade with Fulcrum - Long Steel Handle

#SPADE-3-LST-S-I



Smooth Tear-off spade with Fulcrum - Long Steel Handle

#SPADE-3-LSTL-I



Smooth Tear-off spade - NO FULCRUM - Long Wood Handle

#SPADE-LW-I



Steel Scoop

#8 steel scoop, stainless steel/wood d-grip design

#SCOOP-ST-DW8-I



Coal Shovels

#2 Coal Shovel, stainless steel/wood d-grip design

#SHOVEL-CO-DW2-I.....D-Grip Handle

#SHOVEL-CO-LW2-I.....Long Wood Handle



ABS Poly Scoop

#12 ABS poly grain scoop, heavy duty poly grip.

#SCOOP-ABS-DW12





NEED-IT-NOW?

We can help!

- Fasteners, Tools, Sealants and Contractor Supplies
- Delivery and Stocking Programs
- Technical Support
- Product Development
- Job-site Assistance

FASTENING SYSTEMS AND SOLUTIONS FOR COMMERCIAL CONSTRUCTION

MARKETS



Application Focused

- Flat Roofing
- Metal Building and Roofing
- Post Frame
- Misc. Cladding | Curtain Wall
- Drywall | Interior
- HVAC / Electrical / Mechanical

25 LOCATIONS How Can We Help You? Contact us toll free at 800.486.1832

Alabama - Birmingham
3800 1st Ave. North
Birmingham, AL 35222
P: 205.595.3444 | F: 205.595.7544

Florida - Orlando
114 Atlantic Annex Pt.
Maitland, FL 32751
P: 407.660.0167 | F: 407.660.1256

North Carolina - Charlotte
3317 Pelton Street
Charlotte, NC 28217
P: 704.586.0400 | F: 704.586.0300

Tennessee - Madison
213 Nesbitt Lane
Madison, TN 37115
P: 615.865.0007 | F: 615.868.7257

Alabama - Mobile
764 Lakeside Drive Suite A
Mobile, AL 36693
P: 251.665.5000 | F: 251.665.5001

Florida - Tampa
10111 Woodberry Road
Tampa, FL 33619
P: 813.689.6877 | F: 813.689.6717

North Carolina - Raleigh
79 Rupert Rd.
Raleigh, NC 27603
P: 919.733.1845 | F: 919.856.4910

Texas - Dallas
2801 West Airport Freeway
Irving, TX 75062
P: 972.659.9400 | F: 972.659.9403

Alabama - Montgomery
508 Hackel Drive
Montgomery, AL 36117
P: 334.270.8800 | F: 334.270.0331

Georgia - Atlanta
5800 Oakbrook Parkway, Suite A
Norcross, GA 30093
P: 770.417.1515 | F: 770.409.1451

Ohio - Cincinnati
1021 W. 8th Street
Cincinnati, OH 45203
P: 513.242.5802 | F: 513.242.8209

Texas - Houston
5210 Brittonmoore Rd.
Houston, TX 77041
P: 713.466.7758 | F: 713.466.8390

California - San Jose
1425 Koll Circle
San Jose, CA 95112
P: 408-982-0581

Indiana - Indianapolis
7768 Zionsville Rd #400
Indianapolis, IN 46268
P: 317.872.3944 | F: 317.879.2181

Ohio - Cleveland
4661 Hinckley Ind. Pkwy.
Cleveland, OH 44109
P: 216.351.9933 | F: 216.351.5008

Texas - San Antonio
12746 O'Connor Road
San Antonio, TX 78233

Delaware - New Castle
243-C Quigley Blvd.
New Castle, DE 19720
P: 302.322.0600 | F: 302.322.5102

Maryland - Baltimore
6550 Moravia Park Dr.
Baltimore, MD 21237
P: 410.485.8665 | F: 410.485.4560

Ohio - Columbus
1244 West Goodale Blvd.
Columbus, OH 43212
P: 614.487.8800 | F: 614.487.1634

Virginia - Richmond
6529 Dickens Place
Richmond, VA 23230
P: 804.282.2360 | F: 804.282.4069

Florida - Ft Lauderdale
5600 NW 12th Ave Suite 303
Ft. Lauderdale, FL 33309
P: 954.771.5232 | F: 954.771.5441

Michigan - Detroit Sales
Mark Enderle
Sales | Michigan / NW Ohio
C: 734.674.2466 | F: 216.351.5008

Pennsylvania - Pittsburgh
2001 Preble Ave.
Pittsburgh, PA 15233
P: 412.321.5000 | F: 412.321.7838

Washington - Seattle
8459 South 208th Street
Kent, WA 98031
P: 206.575.0144 | F: 206.575.1118

Florida - Jacksonville
6800 Suemac Place, Suite 2
Jacksonville, FL 32254
P: 904.695.0404 | F: 904.695.0062

Mississippi - Jackson
102 Diane Dr.
Richland, MS 39218
P: 601.664.3449 | F: 601.664.7185

Pennsylvania - Pittsburg (Corp.)
1925 Preble Ave.
Pittsburgh, PA 15233
P: 412.321.5021 | F: 412.321.7838